

O-Ring P y G SERIES Size List

CODIGO	Millimeters			Sección Back-up Ring		
	W	I.D.	O.D.	NBR	ALTURA	ESPIRAL PTFE
P3	1.9	2.8	6.6	1.5	0.7	1.2
P4	1.9	3.8	7.6	1.5	0.7	1.2
P5	1.9	4.8	8.6	1.5	0.7	1.2
P6	1.9	5.8	9.6	1.5	0.7	1.2
P7	1.9	6.8	10.6	1.5	0.7	1.2
P8	1.9	7.8	11.6	1.5	0.7	1.2
P9	1.9	8.8	12.6	1.5	0.7	1.2
P10	1.9	9.8	13.6	1.5	0.7	1.2
P10A	2.4	9.8	14.6	2.0	0.7	1.4
P11	2.4	10.8	15.6	2.0	0.7	1.4
P11.2	2.4	11	15.8	2.0	0.7	1.4
P12	2.4	11.8	16.6	2.0	0.7	1.4
P12.5	2.4	12.3	17.1	2.0	0.7	1.4
P14	2.4	13.8	18.6	2.0	0.7	1.4
P15	2.4	14.8	19.6	2.0	0.7	1.4
P16	2.4	15.8	20.6	2.0	0.7	1.4
P18	2.4	17.8	22.6	2.0	0.7	1.4
P20	2.4	19.8	24.6	2.0	0.7	1.4
P21	2.4	20.8	25.6	2.0	0.7	1.4
P22	2.4	21.8	26.6	2.0	0.7	1.4
P22A	3.5	21.7	28.7	3.0	0.7	2.5
P22.4	3.5	22.1	29.1	3.0	0.7	2.5
P24	3.5	23.7	30.7	3.0	0.7	2.5
P25	3.5	24.7	31.7	3.0	0.7	2.5
P25.5	3.5	25.2	32.2	3.0	0.7	2.5
P26	3.5	25.7	32.7	3.0	0.7	2.5
P28	3.5	27.2	34.7	3.0	0.7	2.5
P29	3.5	28.7	35.7	3.0	0.7	2.5
P29.5	3.5	29.2	36.2	3.0	0.7	2.5
P30	3.5	29.7	36.7	3.0	0.7	2.5
P31	3.5	30.7	37.7	3.0	0.7	2.5
P31.5	3.5	31.2	38.2	3.0	0.7	2.5
P32	3.5	31.7	38.7	3.0	0.7	2.5
P34	3.5	33.7	40.7	3.0	0.7	2.5
P35	3.5	34.7	41.7	3.0	0.7	2.5
P35.5	3.5	35.2	42.2	3.0	0.7	2.5
P36	3.5	35.7	42.7	3.0	0.7	2.5
P38	3.5	37.7	44.7	3.0	0.7	2.5

CODIGO	Millimeters			Sección Back-up Ring		
	W	I.D.	O.D.	NBR	ALTURA	ESPIRAL PTFE
P39	3.5	38.7	45.7	3.0	0.7	2.5
P40	3.5	39.7	46.7	3.0	0.7	2.5
P41	3.5	40.7	47.7	3.0	0.7	2.5
P42	3.5	41.7	48.7	3.0	0.7	2.5
P44	3.5	43.7	50.7	3.0	0.7	2.5
P45	3.5	44.7	51.7	3.0	0.7	2.5
P46	3.5	45.7	52.7	3.0	0.7	2.5
P48	3.5	47.7	54.7	3.0	0.7	2.5
P49	3.5	48.7	55.7	3.0	0.7	2.5
P50	3.5	49.7	56.7	3.0	0.7	2.5
P48A	5.7	47.6	59.0	5.0	0.9	4.5
P50A	5.7	49.6	61.0	5.0	0.9	4.5
P52	5.7	51.6	63.0	5.0	0.9	4.5
P53	5.7	52.6	64.0	5.0	0.9	4.5
P55	5.7	54.6	66.0	5.0	0.9	4.5
P56	5.7	55.6	67.0	5.0	0.9	4.5
P58	5.7	57.6	69.0	5.0	0.9	4.5
P60	5.7	59.6	71.0	5.0	0.9	4.5
P62	5.7	61.6	73.0	5.0	0.9	4.5
P63	5.7	62.6	74.0	5.0	0.9	4.5
P65	5.7	64.6	76.0	5.0	0.9	4.5
P67	5.7	66.6	78.0	5.0	0.9	4.5
P70	5.7	69.6	81.0	5.0	0.9	4.5
P71	5.7	70.6	82.0	5.0	0.9	4.5
P75	5.7	74.6	86.0	5.0	0.9	4.5
P80	5.7	96.6	91.0	5.0	0.9	4.5
P85	5.7	84.6	96.0	5.0	0.9	4.5
P90	5.7	89.6	101.0	5.0	0.9	4.5
P95	5.7	94.6	106.0	5.0	0.9	4.5
P100	5.7	99.6	111.0	5.0	0.9	4.5
P102	5.7	101.6	113.0	5.0	0.9	4.5
P105	5.7	104.6	116.0	5.0	0.9	4.5
P110	5.7	109.6	121.0	5.0	0.9	4.5
P112	5.7	111.6	123.0	5.0	0.9	4.5
P115	5.7	114.6	126.0	5.0	0.9	4.5
P120	5.7	119.6	131.0	5.0	0.9	4.5
P125	5.7	124.6	136.0	5.0	0.9	4.5
P130	5.7	129.6	141.0	5.0	0.9	4.5
P132	5.7	131.6	143.0	5.0	0.9	4.5

CODIGO	Millimeters			Sección Back-up Ring		
	W	I.D.	O.D.	NBR	ALTURA	ESPIRAL PTFE
P135	5.7	134.6	146.0	5.0	0.9	4.5
P140	5.7	139.6	151.0	5.0	0.9	4.5
P145	5.7	144.6	156.0	5.0	0.9	4.5
P150	5.7	149.6	161.0	5.0	0.9	4.5
P150A	8.4	149.5	166.3	7.5	1.4	6.0
P155	8.4	154.5	171.3	7.5	1.4	6.0
P160	8.4	159.5	176.3	7.5	1.4	6.0
P165	8.4	164.5	181.3	7.5	1.4	6.0
P170	8.4	169.5	186.3	7.5	1.4	6.0
P175	8.4	174.5	191.3	7.5	1.4	6.0
P180	8.4	179.5	196.3	7.5	1.4	6.0
P185	8.4	184.5	201.3	7.5	1.4	6.0
P190	8.4	189.5	206.3	7.5	1.4	6.0
P195	8.4	194.5	211.3	7.5	1.4	6.0
P200	8.4	199.5	216.3	7.5	1.4	6.0
P205	8.4	204.5	21.3	7.5	1.4	6.0
P209	8.4	208.5	225.3	7.5	1.4	6.0
P210	8.4	209.5	226.3	7.5	1.4	6.0
P215	8.4	214.5	231.3	7.5	1.4	6.0
P220	8.4	219.5	236.3	7.5	1.4	6.0
P225	8.4	224.5	241.3	7.5	1.4	6.0
P230	8.4	229.5	246.3	7.5	1.4	6.0
P235	8.4	234.5	251.3	7.5	1.4	6.0
P 240	8.4	239.5	256.3	7.5	1.4	6.0
P245	8.4	244.5	261.3	7.5	1.4	6.0
P250	8.4	249.5	266.3	7.5	1.4	6.0
P255	8.4	254.5	271.3	7.5	1.4	6.0
P260	8.4	259.5	276.3	7.5	1.4	6.0
P265	8.4	264.5	281.3	7.5	1.4	6.0
P270	8.4	269.5	286.3	7.5	1.4	6.0
P275	8.4	274.5	291.3	7.5	1.4	6.0
P280	8.4	279.5	296.3	7.5	1.4	6.0
P285	8.4	284.5	301.3	7.5	1.4	6.0
P290	8.4	289.5	306.3	7.5	1.4	6.0
P295	8.4	294.5	311.3	7.5	1.4	6.0
P300	8.4	299.5	316.3	7.5	1.4	6.0
P315	8.4	314.5	331.3	7.5	1.4	6.0
P320	8.4	319.5	336.3	7.5	1.4	6.0

CODIGO	Millimeters			Sección Back-up Ring		
	W	I.D.	O.D.	NBR	ALTURA	ESPIRAL PTFE
P335	8.4	334.5	351.3	7.5	1.4	6.0
P340	8.4	339.5	356.3	7.5	1.4	6.0
P355	8.4	354.5	371.3	7.5	1.4	6.0
P360	8.4	359.5	376.3	7.5	1.4	6.0
P375	8.4	374.5	391.3	7.5	1.4	6.0
P385	8.4	384.5	401.3	7.5	1.4	6.0
P400	8.4	399.5	416.3	7.5	1.4	6.0

CODIGO	Millimeters			Sección Back-up Ring		
	W	I.D.	O.D.	NBR	ALTURA	ESPIRAL PTFE
G25	3.1	24.4	30.6	2.5	0.7	2.0
G30	3.1	29.4	35.6	2.5	0.7	2.0
G35	3.1	34.4	40.6	2.5	0.7	2.0
G40	3.1	39.4	45.6	2.5	0.7	2.0
G45	3.1	44.4	50.6	2.5	0.7	2.0
G50	3.1	49.4	55.6	2.5	0.7	2.0
G55	3.1	54.4	60.6	2.5	0.7	2.0
G60	3.1	59.4	65.6	2.5	0.7	2.0
G65	3.1	64.4	70.6	2.5	0.7	2.0
G70	3.1	69.4	75.6	2.5	0.7	2.0
G75	3.1	74.4	80.6	2.5	0.7	2.0
G80	3.1	79.4	85.6	2.5	0.7	2.0
G85	3.1	84.4	90.6	2.5	0.7	2.0
G90	3.1	89.4	95.6	2.5	0.7	2.0
G95	3.1	94.4	100.6	2.5	0.7	2.0
G100	3.1	99.4	105.4	2.5	0.7	2.0
G105	3.1	104.4	110.6	2.5	0.7	2.0
G110	3.1	109.4	115.6	2.5	0.7	2.0
G115	3.1	114.4	120.6	2.5	0.7	2.0
G120	3.1	119.4	125.6	2.5	0.7	2.0
G125	3.1	124.4	130.6	2.5	0.7	2.0
G130	3.1	129.4	135.6	2.5	0.7	2.0
G135	3.1	134.4	140.6	2.5	0.7	2.0
G140	3.1	139.4	145.6	2.5	0.7	2.0
G145	3.1	144.4	150.6	2.5	0.7	2.0
G150	5.7	149.3	160.7	5.0	0.9	4.0
G155	5.7	154.3	165.7	5.0	0.9	4.0
G160	5.7	159.3	170.7	5.0	0.9	4.0

CODIGO	Millimeters			Sección Back-up Ring		
	W	I.D.	O.D.	NBR	ALTURA	ESPIRAL PTFE
G165	5.7	164.3	175.7	5.0	0.9	4.0
G170	5.7	169.3	180.7	5.0	0.9	4.0
G175	5.7	174.3	185.7	5.0	0.9	4.0
G180	5.7	179.3	190.7	5.0	0.9	4.0
G185	5.7	184.3	195.7	5.0	0.9	4.0
G190	5.7	189.3	200.7	5.0	0.9	4.0
G195	5.7	194.3	205.7	5.0	0.9	4.0
G200	5.7	199.3	210.7	5.0	0.9	4.0
G210	5.7	209.3	220.7	5.0	0.9	4.0
G220	5.7	219.3	230.7	5.0	0.9	4.0
G230	5.7	229.3	240.7	5.0	0.9	4.0
G240	5.7	239.3	250.7	5.0	0.9	4.0
G250	5.7	249.3	260.7	5.0	0.9	4.0
G260	5.7	259.3	270.7	5.0	0.9	4.0
G270	5.7	269.3	280.7	5.0	0.9	4.0
G280	5.7	279.3	290.7	5.0	0.9	4.0
G290	5.7	289.3	300.7	5.0	0.9	4.0
G300	5.7	299.3	310.7	5.0	0.9	4.0